TOWNSHIP 5 SOUTH, RANGE 68 EAST, M.D.M., NEVADA

	For description and test of instruments and method of measurements refer to the field notes of T. & S., R. 68 E., executed under this same group. The directions of lines were initially determined by reference to adjacent surveys and verified at frequent intervals throughout the progress of the survey by Polaris and solar observations.
ć v	Dependent Resurvey of the East Boundary of T. 5 S., R. 68 E., M.D.M., Nevada
Chains	Reestablishment of the survey executed by H. B. Maxson, Deputy Surveyor, in 1901.
	From the cor. of T. 5 S., Rs. 68 and 69 E., described in the field notes of T. 6 S., R. 69 E, as latitude 37°27'42"N., and longitude 114°19'24"W.
	N. 0°14'E., bet. secs. 31 and 36. S_2^1 mile.
	Over rolling land.
10.10	Wash, 5 lks. wide, 8 ins. deep, course NE.
16.40	Wash, 5 lks. wide, 12 ins. deep course E.
39 . 94	The $\frac{1}{4}$ sec. cor. of secs. 31 and 36, marked by the original monument, a granite stone, 16 x 7 x 6 ins., extending 10 ins. above ground, and mkd. $\frac{1}{4}$ on W. face, from which the original bearing trees:
	A pinon, 5 ins. diam., bears N.27°E., 8 lks. dist., mkd. \(\frac{1}{4}\) S31 BT.
	A juniper, 16 ins. diam., bears N.44-3/4°W., 7 lks. dist., mkd. $\frac{1}{4}$ S36 BT, partially overgrown.
	At the corner point
	Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 2^{4} ins. in the ground, with the original mkd. stone buried alongside, with brass cap mkd.
	1
	s 36 s 31
	1953
	from which, a new bearing tree,
) 	A juniper, 8 ins. diam., bears N. 22-3/4°E., 13 lks. dist., mkd. \(\frac{1}{2}\) S 31 BT.
	N. 0°01'E., bet. secs. 31 and 36. No mile, beginning new measurement
	Over rolling land.
7.80	Wash, 4 1ks. wide, 8 ins. deep course E., 3 chs. to junction with wash, course N.
13.30	Wash, 5 lks. wide, 1 ft. deep, course N.80°E. for approximately 3 chs.
17.90	Shallow wash, 2 1ks. wide, course E.
•	