

Dependent Resurvey of Portion of S. Bdy., T. 45 N., R. 26 E.

Chains

Land, rolling.
Soil, sandy, rocky clay, 3rd rate.
No timber; undergrowth, sagebrush.
Grazing, poor.

East, along the S. bdy. of sec. 36.

Desc. 10 ft. over rolling land on a SE. slope through scattering undergrowth.

10.40 Draw, drains N. 10° W.; asc. 150 ft. over a rolling NW. slope.

40.00 Point for the $\frac{1}{4}$ sec. cor. of sec. 36, at record distance.

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$ S 36

1940

raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.

41.19 The cor. of secs. 2 and 3, T. 44 N., R. 26 E., which is marked by an iron post 2 ins. diam., 16 ins. above ground, marked as described in the field notes of the survey of a portion of the N. bdy. of T. 44 N., R. 26 E.

50.00 Leave rolling land; asc. 420 ft. over a mountainous NW. slope.

80.00 Point for the cor. of Tps. 45 N., Rs. 26 and 27 E., at record distance.

Set an iron post, 3 ft. long, 3 ins. diam., 20 ins. in the ground, upon a cross (X) on bedrock, and in a mound of stone to top, with brass cap mkd.

T45N	
R26E	R27E
S 36	S 31

1940

From this point, the $\frac{1}{4}$ sec. cor. on N. bdy. of sec. 2, T. 44 N., R. 26 E., bears E. 1.19 chs. dist., and is marked by an iron post, 1 in. diam., 6 ins. above ground, marked and witnessed as described in the field notes of the survey of a portion of the N. bdy. of T. 44 N., R. 26 E.

Land, rolling and mountainous.
Soil, sandy, rocky clay, 3rd rate.
No timber; undergrowth, sagebrush.
Grazing, poor.

INDEPENDENT RESURVEY, E. BDY. OF T. 45 N., R. 26 E.

This line was projected as a transit line from a solar meridian previously established.

Independent resurvey superseding the survey executed by G. W. Garside, U. S. Deputy Surveyor, in 1879.

From the cor. of Tps. 45 N., Rs. 26 and 27 E.,

North, along the E. bdy. of sec. 36.