

Dependent Resurvey of the East Bdy. of T. 40 N., R. 24 E.

Chains

Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock supported in a mound of stone to top, with brass cap mkd.

$\frac{1}{4}$
 S12 | S 7
 1942

raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of corner.

60.70 Top of spur, 75 ft. above $\frac{1}{4}$ sec. cor. slopes W.; desc. 35 ft.

74.20 Wash, course W.; ascend 40 ft.

82.90 The cor. of secs. 1, 6, 7 and 12, marked by the original monument, a lava stone, 12x10x6 ins., set firmly in a small mound of stone, mkd. with 5 grooves on S. and 1 groove on N. faces.

At the corner point, with the original corner monument deposited at base.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd.

T 40 N
 R24E R25E
 S 1 | S 6
 S12 | S 7
 1942

raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor

Land, rolling mountainous.

Soil, sandy clay loam, gravelly and rocky; 3rd and 4th rate.

Timber, none; undergrowth, sagebrush, greasewood and shadscale, and a fair growth of grass.

N. 0° 25' W., bet. secs. 1 and 6.

Over rolling mountainous land, through dense undergrowth, ascend gradually over a general SW. slope.

1.50 Wash, course SW.; ascend 80 ft.

17.20 Top of spur, slopes S. 60° W.; descend 40 ft.

27.50 Ravine, course SW.; ascend 100 ft.

41.36 Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.

This corner is changed to the $\frac{1}{4}$ cor. of sec. 6 only.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd.