	Chains	
		Distance by chaining
7		Total distance to point B
	140.00	True point for ½ sec. cor. falls on steep N. slope, broken by series of limestone cliffs, and is inaccessible.
	56.00	Wash, 3 chs. wide, 5 ft. deep, 800 ft. below witness \(\frac{1}{4} \) sec. cor., course NE. Thence along an E. slope.
	68.00	Wash, 2 chs. wide, 5 ft. deep, course E. Ascend a steep rocky SW. slope.
	80.00	On steep rocky SW. slope, 210 ft. above wash,
		Set an iron post, 3 ft. long, 3 ins. diam., 24 ins. in the ground to solid rock, with a limestone, 8x6x3 ins., marked X, deposited at the base, and in a mound of stone to top, for cor. of Tps. 15 and 16 S., Rs. 63 and 64 E., with brass cap mkd.
	8	T15S R63E R64E
	x	S36 S31 S 1 S 6 T16S 1941
		Land, broken hills of limestone formation, with steep rocky slopes and broken cliffs. Soil, rocky; 3rd and 4th rate. Timber, none. Undergrowth, creosote brush and cactus. Scattered growth of grass and weeds. Grazing, poor.
		No evidence of any of the corners of the original survey of the west bdy. of T. 16 S., R. 64 E., could be found.
		WEST BOUNDARY OF T. 16 S., R. 63 E.
		From the standard cor. of Twps. 16 S., Rs. 62 and 63 E.,
		North, bet. secs. 31 and 36. Over gently rolling desert land, with general easterly slope,
		through medium dense undergrowth.
	6.00	Wash, 20 lks. wide, 1 ft. deep, course E.
	32.00	Wash, 2 chs. wide, 2 ft. deep, course E.
	40.00	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for \$\frac{1}{4}\$ sec. cor., with brass cap mkd.
		\$36 \$31
		raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
	73.00	Gulch, course S. 60° E.
1		