

North boundary of T. 33 N., R. 70 E.

Chains.

East, bet. secs. 3 and 34, on a line describing the tangent, which bears S. $89^{\circ} 57.7'$ E.

Asc. 167 ft. over a W. to SW. slope, through scattered juniper.

6.90 Spur, slopes NW.; desc. 23 ft. over E. slope, to

9.90 Top of precipitous NE. slope, desc. 185 ft.

15.80 Ravine, course NW.; asc. 205 ft. over a SW. slope.

23.50 Spur, slopes S. 10° W.; desc. 50 ft.

28.00 Ravine, course S. 20° W.; asc. 226 ft. over a W. slope.

34.60 Hillside drain, course S. 75° W., continue ascent.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 34, N. 11 lks. from the tangent.

Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground and in a mound of stone, 6 ft. base, to top, with brass cap mkd.

$$\frac{\frac{1}{4} \text{ S } 34}{\text{S } 3}$$

1947

Asc. 50 ft. over a W. slope.

42.60 Ridge, bears N. and S.; desc. 147 ft. over an E. slope.

48.50 Ravine, course S. 15° E.; asc. 40 ft. over a gradual S. to SW. slope.

51.70 Hillside drain, course S.; continue over a rocky S. slope.

54.77 Intersect the Nevada-Utah State Line, N. 12 lks. from the tangent.

Point for the closing cor. of Ts. 33 and 34 N., R. 70 E.

Set an iron post, 3 ft. long, $\frac{3}{8}$ ins. diam., 8 ins. in the ground and in a mound of stone, 7 ft. base, to top, with brass cap mkd.

NEVADA	CC	T34N R70E S 34 S 3 T33N R70E	UTAH
--------	----	---	------

1947

from which

An X and BO S34 chiseled on the SE. face of a limestone outcrop, 10 ft. high, bearing NW. and SE., bears N. 14° W., 14 lks. dist.

From this point the Mile Post No. 39 on the Nevada-Utah state line bears S. $0^{\circ} 36'$ W., 29.86 chs. dist.

Land, mountainous.

Soil, rocky.

Timber, juniper; undergrowth, shadscale and sage brush.