

Dependent Resurvey of a Portion of the East Boundary of T. 21 S., R. 63 E.

Chains

 $\frac{1}{4}$ S 12

1943

raise a mound
of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

83.34 Proportionate point.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to rock, and in a mound of stone to top, for cor. of secs. 1 and 12, with brass cap mkd.

T 21 S

R 63 E

S 1

S 12

1943

deposit a lava
stone, $8 \times 5 \times 4$ ins., mkd. with a cross (+), at base of post.

Land, rolling and hilly.

Soil, gravelly and rocky, 4th rate.

Undergrowth, creosote.

Grazing, poor.

N. $4^{\circ} 47'$ W., along the E. bdy. of sec. 1.

Over rolling and hilly land, through short undergrowth.

37.00 Enter wash, bears N. 70° W. and S. 70° E.; thence across wash, drains S. 70° E.

40.00 Leave wash, bears same.

41.67 Proportionate point.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 1, with brass cap mkd.

 $\frac{1}{4}$ S 1

1943

raise a mound
of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Thence over nearly level land.

81.62 Intersect the Fifth Standard Parallel South, through R. 63 E., on the S. bdy. of sec. 36, West 15.77 chs. (record distance) from the standard cor. of Tps. 20 S., Rs. 63 and 64 E., a 3 inch iron post, properly set, mkd., and witnessed as described in the official record.

At point of intersection

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for the closing cor. of T. 21 S., R. 63 E., with brass cap mkd.