

S. Bdy. of fractional T. 42 N., R. 24 $\frac{1}{2}$  E., M. D. M.

## Chains

West, on a transit line describing the tangent, along the S. bdy. of sec. 35, bearing S. 89° 58.5' W.

Along gradual N. slope.

17.14 A point S. of the SE. cor. of T. 42 N., R. 24 E.

N. 1 lk. from the tangent.

Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to underlying rock, with a sandstone, 1x3x4 ins., mkd. X, deposited at the base, for cor. of fractional T. 42 N., R. 24 $\frac{1}{2}$  E., with brass cap mkd.

T42N
R24 $\frac{1}{2}$ E
S35

1946

Land, rolling mountainous upland.  
Soil, gravelly and rocky; 3rd and 4th rate.  
Timber, none.  
Undergrowth, sagebrush.  
Grazing, fair.

---

West Bdy. T. 42 N., R. 24 $\frac{1}{2}$  E.

North, along the W. bdy. of fractional T. 42 N., R. 24 $\frac{1}{2}$  E., along the W. bdy. of sec. 35.

Desc. 40 ft. over general N. slope.

10.60 Draw, drains N. 70° W.; asc. 60 ft. over SW. slope.

16.00 Spur, projects W.; desc. 70 ft. over N. slope.

23.00 Draw, drains W.; a wet weather spring (now dry) in draw, bears East, approximately 7.00 chs. dist.; asc. 50 ft. over rolling general S. to SW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 35, with brass cap mkd.

|  $\frac{1}{4}$  S35

1946

raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, E. of cor.

Asc. 30 ft. over gentle S. to SW. slope.

45.00 Across broad spur, projects S. 10° E.

59.00 Desc. 90 ft. over NE. slope.

65.00 Draw, drains E., 1 ch. then curves to S. 10° E.; asc. 200 ft. over S. to SE. slope.

74.19 The cor. of Tps. 41 and 42 N., Rs. 24 and 25 E., an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record.

The corner is now the SE. cor. of T. 42 N., R. 24 E. and the brass cap is now mkd.