

Subdivision of fractional T. 42 N., R. 24 $\frac{1}{2}$  E., M. D. M.

## Chains

survey of the W. bdy. of T. 42 N., R. 25 E.

Thence

West, on true line bet. secs. 25 and 36.

Desc. slightly.

- 0.20 Draw, from NE., drains generally W.
- 8.50 Junction of draws, from generally E. and from N. 5° E., drains SW.; asc. 30 ft. over rolling SE. slope.
- 16.00 Spur, projects S. 10° W.; desc. 75 ft. over SW. slope.
- 24.60 Draw, drains S.; asc. 90 ft. over E. slope.
- 38.50 Across spur, projects SE.
- 40.01 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S25  
 $\frac{1}{4}$  ———  
 S36  
 1946

raise a

mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, N. of cor.

- 44.00 Desc. 60 ft. over SW. slope.
- 51.70 Draw, drains SE.; asc. 130 ft. over NE. slope changing to E. slope.
- 71.00 Ridge, bears N. 15° W. and S. 15° E.; desc. 90 ft. over W. slope.
- 80.02 The cor. of secs. 25, 26, 35 and 36.

Land, rolling mountainous.  
 Soil, gravelly and rocky; 3rd rate.  
 Timber, none.  
 Undergrowth, sagebrush, butterbrush and scattering service brush.  
 Grazing, very good.

West, bet. secs. 26 and 35.

Across rolling mountainous land.

- 6.50 Spur, projects S. 80° W. to small peak, desc. 50 ft. over N. to NW. slope.
- 17.13 Intersect E. bdy. of T. 42 N., R. 24 E.
- Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 26 and 35, with brass cap mkd.

T42N  
 T24E | R24 $\frac{1}{2}$ E  
 S36 | S26 CC  
 | S35  
 1946

raise a

mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, E. of cor.