## Subdivision of fractional T. 42 N., R. 242 E., M. D. M.

Chains

raise a

mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, E. of cor.

From point of intersection, the cor. of secs. 25, 30, 31 and 36, bears South, 5.79 chs. dist.; an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record. The cor. is now the cor. of secs. 25 and 36, only and the brass cap is now mkd.

1915

From the same point, the  $\frac{1}{4}$  sec. cor. of secs. 25 and 30, bears North, 34.21 chs. dist.; an iron post, 1 in. diam., set, mkd. and withessed as described in the official record. The cor. is now the  $\frac{1}{4}$  sec. cor. of secs. 25 only and the brass cap is now mkd.

Land, rolling mountainous.

Soil, gravelly and rocky; 3rd rate.

Timber, none.

Undergrowth, sagebrush and scattering service brush. Grazing, good.

Midpoint on the W. bdy. of sec. 26.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 26, with brass cap mkd.

raise a

mound of stone, 2 ft. base, lt ft. high, E. of cor.

From this corner, the  $\frac{1}{4}$  sec. cor. on the E. bdy. of sec. 36 bears South, 5.80 chs. dist.

From the cor. of secs. 23, 24, 25 and 26.

N. 0° 01' W., bet. secs. 23 and 24.

Over rolling mountainous land.

1.00 Draw, drains SE.; asc. 200 ft. over S. slope.

25.00 Asc. 60 ft. over S. to SW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.