Completion of the subdivision of T. 42 N., R. 25 E., M. D. M. Chains 80.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for cor. of lots 4 and 5, sec. 5 and of lots 1 and 8, sec. 6, with brass cap mkd. s6<u>1</u>4 s6<u>8</u>5 1946 raise a mound of stone, 2 ft. base, 11 ft. high, W. of cor. Desc. 40 ft. to closing sec. cor. 87.00 Ravine, course N. 60° W. 98.52 Intersect the S. bdy. of T. 43 N., R. 25 E. Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 5 and 6, with brass cap mkd. T43N R25E S 31 s6 s5 T42n R25e CC 1946 raise a mound of stone, 2 ft. base,  $l\frac{1}{2}$  ft. high, S. of cor. From point of intersection, the cor. of secs. 31 and 32, on the S. bdy. of T. 43 N., R. 25 E., bears East, 9.54 chs. dist.; an iron post, 2 ins. diam., set, mkd. and witnessed as described in the official record. From the same point, the  $\frac{1}{4}$  sec. cor. of the S. bdy. of sec. 31, bears West, 30.16 chs. dist.; an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record. Land, rolling mountainous. Soil, gravelly and rocky; 3rd and 4th rate. Timber, none. Undergrowth, sagebrush. Grazing, good. Midpoint on the N. bdy. of sec. 5, Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 5, with brass cap mkd. 1946 raise a mound of stone, 2 ft. base,  $l\frac{1}{2}$  ft. high, S. of cor. From this cor., the  $\frac{1}{4}$  sec. cor. on the S. bdy. of sec. 32 bears East, 9.57 chs. dist.

161

**4—6**73 b