

## Resurvey of the West Bdy. of T. 21 S., R. 54 E.

## Chains

United States Coast & Geodetic Survey and is also USC&GS third order triangulation station GLO 3-B. The function of this corner is changed to an amended monument. The tablet is additionally marked AM, to read:

1948
A M
S 1   S 6
R53E   R54E
T21S
CC
1926

from which

The standard cor. of Ts. 20 S., Rs. 53-54 E., bears N. 89° 16' W., 4.094 chs. dist.

The USC&GS geographic position of this cor. is latitude 36° 09' 39.25" N.; Long. 115° 57' 27.68" W.

78.84

Intersect the 5th Stand. Par. S.

Point for the closing cor. of Ts. 21 S., Rs. 53-54 E.

Set an iron post, 3 ft. long, 3 ins. diam., 30 ins. in the ground, with brass cap mkd.

T20S	R54E
S 31	
S 1   S 6	
R53E   R54E	
T21S	
CC	
1948	

Bury a stone, 6x6x4 ins., mkd. X, alongside the iron post.

From point of intersection the stan. cor. of Ts. 20 S., Rs. 53-54 E., bears N. 89° 55' W., 4.09 chs. dist.

Land, level.  
Soil, clay and silt.  
Undergrowth, shadscale.

---

South Bdy. T. 21 S., R. 53 E.

---

From the cor. of Ts. 21-22 S., Rs. 53-54 E.

West, bet. secs. 1 and 36.

Over level desert land draining W.; through low shadscale.

40.00

Point for  $\frac{1}{4}$  sec. cor. of secs. 1 and 36.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd.

S 36
$\frac{1}{4}$
S 1
1948

dig a circular trench 1 ft. deep, and raise a mound of earth around post.

80.00

Point for cor. of secs. 1, 2, 35 and 36.