

## DEPENDENT RESURVEY, T. 15 N., R. 38 E.

CHAINS

T15N R38E

$$\begin{array}{c} \frac{1}{4} \\ S \ 4 \ | \ S \ 3 \\ 1963 \end{array}$$

Ascend 130 ft. over a broken S. slope.

58.40 Spur, slopes SE.; desc. 100 ft. over a N. slope.

79.98 Intersect the Third Standard Parallel North.

Point for the closing cor. of secs. 3 and 4, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground with brass cap mkd.

T16N R38E

$$\begin{array}{c} S. \ 34 \\ S \ 4 \ | \ S \ 3 \end{array}$$

CC

T15N

1963

from which

The angle point on the S. bdy. of sec. 34, T. 16 N., R. 38 E., heretofore described, bears N.  $89^{\circ} 37'$  W., 9.37 chs. dist.

The standard  $\frac{1}{4}$  sec. cor. of sec. 34, T. 16 N., R. 38 E., heretofore described, bears S.  $89^{\circ} 37'$  E., 22.27 chs. dist.

Land; rolling.

Soil, stony and sandy clay.

Timber, scattered pinon and juniper.

Undergrowth, sage and salt brush.

Point for the N.  $\frac{1}{4}$  sec. cor. of sec. 3, is at midpoint and on the N. bdy. of the Tp.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 18 ins. in the ground and in a collar of stone, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \quad S \ 3 \\ T15N \ R38E \\ 1963 \end{array}$$

from which

The standard  $\frac{1}{4}$  sec. cor. of sec. 34, T. 16 N., R. 38E., heretofore described, bears N.  $89^{\circ} 37'$  W., 13.68 chs. dist.

The angle point on the S. bdy. of sec. 34, T. 16 N. R38E, heretofore described, bears S.  $89^{\circ} 37'$  E., 25.47 chs. dist.