

SURVEY OF THE SUBDIVISIONAL LINES, T. 17 N., R. 47 E.

CHAINS

Land, nearly level.
Soil, sandy clay and light gravel.
Undergrowth, sagebrush and shadscale.

WEST, bet. secs. 7 and 18.

Over gentle rolling land covered with sage.

15.00 Small draw, drains NE.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 18.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

T17N R47E
 $\frac{1}{4}$ $\frac{S \quad 7}{S \quad 18}$
1964

raise a mound of stone, $2\frac{1}{2}$ ft. base, 18 ins. high, N. of corner.

74.75 Intersect the E. bdy. of T. 17 N., R. 46 E.

Point for the closing corner of secs. 7 and 18.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, and in a collar of stone, with brass cap mkd.

T17N
R46E | R47E
S 13 | $\frac{S \quad 7}{S \quad 18}$ C
1964

from which

The cor. of secs. 12 and 13, T. 17 N., R. 46 E., heretofore described, bears NORTH 8.76 chains distance.

Land, gentle rolling.
Soil, sandy clay and light gravel.
Undergrowth, sagebrush and shadscale.

Point for the W. $\frac{1}{4}$ sec. cor. of sec. 18 is at midpoint and on the E. bdy. of T. 17 N., R. 46 E.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, and in a collar of stone, with brass cap mkd.

T17N
R46E | R47E
 $\frac{1}{4}$
S 18
1964

from which