

COMPLETION SURVEY OF T. 40 N., R. 40 E.

CHAINS

- 42.10 Low ridge, bears E. and W.; desc. 130 ft. over N. slope.
- 53.00 Small ravine, drains WNW.; continue over gently rolling land, draining W.
- 56.30 Small wash, drains W.
- 63.80 Wash, 20 lks. wide, 4 ft. deep, drains W.
- 75.30 Wash, 10 lks. wide, 2 ft. deep, drains W.
- 82.04 Intersect the Eighth Standard Parallel North.

Point for the closing cor. of secs. 2 and 3.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

T41N	R40E
S 34	
S 3	S 2
CC	
T40N	

1965

raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.

from this corner

The standard $\frac{1}{4}$ sec. cor. of sec. 34, T. 41 N., R. 40 E., bears S. $89^{\circ} 54'$ W., 15.78 chs. dist.

The standard cor. of secs. 34 and 35, T. 41 N., R. 40 E., bears N. $89^{\circ} 54'$ E., 24.51 chs. dist.

Land, rolling to gently rolling.

Soil, sandy clay and rocky.

Undergrowth, sagebrush.

The point for the N. $\frac{1}{4}$ sec. cor. of sec. 2 is on the Eighth Standard Parallel North and at midpoint on the N. bdy. of sec. 2.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., on bedrock and in a mound of stone to cap, $3\frac{1}{2}$ ft. base, with brass cap mkd.

T41N	R40E
------	------

$\frac{1}{4}$ S 2	
T40N	

1965

from which

The standard cor. of secs. 34 and 35, T. 41 N., R. 40 E., bears S. $89^{\circ} 45'$ W., 15.50 chs. dist.

The standard $\frac{1}{4}$ sec. cor. of sec. 35, T. 41 N., R. 40 E., bears N. $89^{\circ} 45'$ E., 24.75 chs. dist.