

743

## SUBDIVISION OF T. 40 N., R. 43 E.

CHAINS  
77.10

Small wash, drains NW.

79.96

The cor. of secs. 1, 2, 11 and 12.

Land, rolling.

Soil, sandy clay loam.

Undergrowth, sagebrush and shadscale.

EAST, bet. secs. 1 and 12.

Over rolling land, through medium undergrowth; asc. 30 ft. over a W. slope.

7.00

Low spur, bears N.

12.80

Small wash, drains N.; asc. 110 ft. over a gentle W. slope.

37.00

Continue over gently rolling land, draining N.

40.00

Point for the  $\frac{1}{4}$  sec. cor. of secs. 1 and 12.Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T40N R43E

$$\frac{1}{4} \begin{array}{l} \text{S } 1 \\ \text{S } 12 \end{array}$$

1965

raise a mound of stone, 3 ft. base,  $2\frac{1}{2}$  ft. high, N. of cor.

61.50

Small wash, drains N.; asc. 200 ft. over a W. slope.

81.95

Intersect the W. bdy. of T. 40 N., R. 44 E.

Point for the closing cor. of secs. 1 and 12.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T40N

R43E R44E

$$\text{CC } \begin{array}{l} \text{S } 1 \\ \text{S } 12 \end{array} \text{ S } 6$$

1965

raise a mound of stone,  $3\frac{1}{2}$  ft. base,  $2\frac{1}{2}$  ft. high, W. of cor.

from this corner

The cor. of secs. 6 and 7, T. 40 N., R. 44 E., heretofore described, bears S.  $14^{\circ} 43'$  W., 5.04 chs. dist.The  $\frac{1}{4}$  sec. cor. of sec. 6, T. 40 N., R. 44 E., heretofore described, bears N.  $14^{\circ} 43'$  E., 39.56 chs. dist.

Land, rolling.