

DEPENDENT RESURVEY OF THE E. BDY. OF T. 5 S., R. 60 E.

CHAINS		
	<p style="text-align: center;">T5S R60E R61E S 12 S 7 S 13 S 18 1964</p> <p>raise a mound of stone, 4 ft. base, 3 ft. high, W. of the iron post.</p> <p>Land, rolling. Soil, clay, gravel. Undergrowth, creosote brush, greasewood.</p>	
	<p>N. 0° 56' W., bet. secs. 7 and 12.</p> <p>Over rolling land, through scattered undergrowth.</p> <p>5.90 Ravine, drains WSW.</p> <p>26.10 Ravine, drains W.; asc. 250 ft. over a S. slope.</p> <p>39.85 Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 12, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground to bedrock and in a mound of stone to top, 5 ft. base, with brass cap mkd.</p>	
	<p style="text-align: center;">T5S R60E R61E $\frac{1}{4}$ S 12 S 7 1964</p> <p>Asc. 210 ft. over a S. slope.</p> <p>47.30 Spur, slopes W.,; desc. 160 ft. along a broken NW. slope.</p> <p>73.00 Wash, 10 lks. wide, 4 ft. deep, drains W.; asc. 60 ft. along a SE. slope.</p> <p>79.70 Point for the cor. of secs. 1, 6, 7 and 12, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 4 ins. in the ground and in a mound of stone to top, 4 ft. base, with brass cap mkd.</p>	
	<p style="text-align: center;">T5S R60E R61E S 1 S 6 S 12 S 7 1964</p> <p>Land, rolling, broken. Soil, clay, rocky. Undergrowth, creosote brush, greasewood.</p> <p>N. 0° 56' W., bet. secs. 1 and 6.</p> <p>Over broken land; asc. 80 ft. over a broken S. slope.</p>	