

## DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 35 N., R. 36 E.

## CHAINS

79.99

Intersect the Seventh Standard Parallel North.

Point for the closing cor. of secs. 1 and 2, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T36N	R36E
S 35	
S 2	S 1
CC	
T35N	

1965

raise a mound of stone, 3 ft. base,  $2\frac{1}{2}$  ft. high, S. of cor. from this corner,

The standard cor. of secs. 35 and 36, T. 36 N., R. 36 E., bears N.  $89^{\circ} 54'$  E., 4.83 chs. dist.

The standard  $\frac{1}{4}$  sec. cor. of sec. 35, T. 36 N., R. 36 E., bears S.  $89^{\circ} 54'$  W., 35.44 chs. dist.

Land, mountainous.

Soil, sandy clay and rocky.

Undergrowth, sagebrush and sparse native grasses.

The point for the N.  $\frac{1}{4}$  sec. cor. of sec. 1, T. 35 N., R. 36 E., on the Seventh Standard Parallel North, and at midpoint in departure on the N. bdy. of sec. 1.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T36N	R36E
$\frac{1}{4}$ S 1	
T35N	

1965

raise a mound of stone, 3 ft. base,  $2\frac{1}{2}$  ft. high, S. of cor. from this corner

The standard  $\frac{1}{4}$  sec. cor. of sec. 36, T. 36 N., R. 36 E., bears S.  $89^{\circ} 58'$  E., 4.89 chs. dist.

The standard cor. of secs. 35 and 36, T. 36 N., R. 36 E., bears N.  $89^{\circ} 58'$  W., 35.34 chs. dist.

From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp.

N.  $0^{\circ} 38'$  E., bet. secs. 34 and 35.