

## SURVEY OF THE SUBDIVISION, T. 40 N., R. 37 E.

## CHAINS

N2-R-184  
Porcupine Pipe  
SW $\frac{1}{4}$  SE $\frac{1}{4}$  Sec. 2  
T40N R37E

1963

Asc. 70 ft. over NE. slope.

58.10 Wash, 20 lks. wide, 6 ft. deep, drains N.; asc. 120 ft. over NE. slope.

80.32 The cor. of secs. 2, 3, 10, and 11.

Land, rolling.  
Soil, sandy loam.  
Undergrowth, crested wheat, sagebrush and shadscale.

N. 0° 02' W., bet. secs. 2 and 3.

Over low mountainous land, through medium undergrowth; desc. 140 ft. along E. slope.

23.60 Ravine, drains E., 3.00 chs. thence NE.; asc. 40 ft. over SE. slope.

38.50 Spur, slopes ENE.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 2 and 3.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 8 ins. in the ground to bedrock and in a mound of stone to cap, 4 ft. base, with brass cap mkd.

T40N R37E

S 3		S 2
-----	--	-----

1965

Desc. 200 ft. over N. slope.

56.80 Tony Creek, dry, 20 lks. wide, 4 ft. deep, drains W. 3.00 chs. thence NW., enter rolling land.

59.00 Wash, 10 lks. wide, 2 ft. deep, drains W.; asc. 40 ft. over gentle SW. slope.

82.84 Intersect the Eighth Standard Parallel North.

Point for the closing cor. of secs. 2 and 3.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T41N R37E

S 34		
S 3		S 2

T40N

CC

1965