

DEPENDENT RESURVEY OF THE NORTH BOUNDARY
T. 44 N., R. 52 E.

CHAINS	<div style="text-align: center;"> T45N R52E <u>S 31</u> S 6 S 5 T44N 1965 </div>
	<p>bury the original cornerstone alongside the iron post.</p> <p>Corner is along an E. and W. fence.</p> <p>Land, rolling. Soil, rocky and sand gravel. Undergrowth, native grass and sagebrush.</p> <hr/> <p>N. 89° 51' W., along the N. bdy. of sec. 6.</p> <p>Desc. 70 ft. over a rolling W. slope through medium undergrowth along an E. and W. fence.</p>
19.60	Small wash, drains NW.
29.20	Spur, slope N. continue over a gentle rolling W. slope.
34.49	<p>Point for the $\frac{1}{4}$ sec. cor. of sec. 31 only, 40.00 chs. in departure from the SE. cor. of sec. 31.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 18 ins. in the ground to bedrock, in a mound of stone to cap, 3 ft. base, with brass cap mkd.</p> <div style="text-align: center;"> T45N R52E <u>½ S 31</u> 1965 </div>
41.16	<p>Corner is along an E. and W. fence.</p> <p>The $\frac{1}{4}$ sec. cor. of sec. 6, and 31, monumented with a lava stone, 16x10x5 ins. firmly set in a mound of stone and plainly mkd. $\frac{1}{4}$ on N. face. This corner now refers to the $\frac{1}{4}$ sec. cor. of sec. 6 only.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 16 ins. in the ground to bedrock, in a mound of stone to cap, with brass cap mkd.</p> <div style="text-align: center;"> <u>½ S 6</u> T44N R52E 1965 </div> <p>bury original cornerstone alongside iron post. Cor. is along an E., W. fence.</p> <hr/> <p>S. 89° 59' W., beginning new measurement.</p> <p>Over gently rolling land, along a fence.</p>