

FOURTH STANDARD PARALLEL SOUTH, R. 52 E.

CHAINS											
81.88	<p>The standard cor. of T. 16 S., Rs. 51 and 52 E., monumented with an iron post, 2½ ins. diam., set, mkd. and witnessed as described in the official record.</p> <p>Land, level. Soil, sandy clay and gravel. Vegetation, creosote and greasewood.</p>										
	<p>DEPENDENT RESURVEY OF THE S. BDY. OF T. 17 S., R. 52 E., MOUNT DIABLO MERIDIAN, NEVADA</p>										
	<p>Reestablishment of the Survey executed by E. A. Carter, U.S. Deputy Surveyor in 1881.</p> <hr/> <p>From the cor. of Tps. 17 and 18 S., Rs. 52 and 53 E., monumented with a stone, 18x12x10 ins., mkd. 6 notches on the N., S., E. and W. edges and firmly set in a mound of stone.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <table><tr><td colspan="2">T17S</td></tr><tr><td>R52E</td><td>R53E</td></tr><tr><td>S 36</td><td>S 31</td></tr><tr><td>S 1</td><td>S 6</td></tr><tr><td colspan="2">T18S</td></tr></table> <p>1966</p> <p>bury the original corner stone alongside the iron post and raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.</p> <p>N. 89° 26' W., bet. secs. 1 and 36.</p> <p>Over rolling land, desc. gentle W. slope.</p>	T17S		R52E	R53E	S 36	S 31	S 1	S 6	T18S	
T17S											
R52E	R53E										
S 36	S 31										
S 1	S 6										
T18S											
8.40	Nevada State Highway, No. 16, paved, bears N. and S.										
13.00	Gravel road, bears N. and S.										
18.00	Base of ascent, bears N. and S.; asc. 230 ft. over E. slope.										
33.40	Spur, slopes N.; desc. 90 ft. over W. slope.										
39.58	<p>The ¼ sec. cor. of secs. 1 and 36, monumented with a stone, 16x10x10 ins., mkd. ¼ on the N. face and firmly set in a mound of stone.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 5 ins. in the ground to bedrock and in a mound of stone to top, 4 ft. base, with brass cap mkd.</p>										