

DEPENDENT RESURVEY, MT. DIABLO BASE LINE, THROUGH R. 53 E.

CHAINS

Beginning at the standard cor. of Tps. 1 N., Rs. 53 and 54 E., monumented with a lava stone, 10x16x20 ins., firmly set in a mound of stone and plainly mkd. with 6 notches on the E. and W. faces and MDB on the N. face.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., over a cross (X) on bedrock and in a mound of stone to cap, 4 ft. base, with brass cap mkd.

SC
T1N
R53E R54E
S 36 | S 31

1966

bury the original corner stone alongside the iron post.

N. 89° 53' W., along the S. bdy. of sec. 36.

Over gently rolling land, through medium undergrowth; desc. 30 ft. over a SW. slope.

1.76 The closing cor. of Tps. 1 S., Rs. 53 and 54 E., monumented with a lava stone, 4x8x18 ins., firmly set in a mound of stone and plainly mkd. CC on the S. face.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., 6 ins. in the ground to bedrock and in a mound of stone to cap, 4 ft. base, with brass cap mkd.

T1N R53E
S 36
S 1 | S 6
CC
T1S
R53E R54E

1966

bury the original corner stone alongside the iron post.

Desc. 120 ft. over a SW. slope.

37.50 Base of descent, bears ENE. and WSW.; asc. 10 ft. over a SE. slope.

40.51 The standard ¼ sec. cor. of sec. 36, monumented with a lava stone, 8x8x10 ins., firmly set in a mound of stone and plainly mkd. ¼ on the N. face.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., 6 ins. in the ground to bedrock and in a mound of stone to cap, 4 ft. base, with brass cap mkd.