

DEPENDENT RESURVEY OF THE WEST BOUNDARY, T. 26 N., R. 65 E.

CHAINS	
80.62	<p style="text-align: center;">T26N R64E R65E $\frac{1}{2}$ S 12 S 7</p> <p style="text-align: center;">1966</p> <p>raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>Point for the cor. of secs. 1, 6, 7 and 12, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T26N R64E R65E S 1 S 6 S 12 S 7</p> <p style="text-align: center;">1966</p> <p>raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, level. Soil, clay. Undergrowth, saltgrass.</p>
40.31	<p>N. $0^{\circ} 13'$ W., bet. secs. 1 and 6.</p> <p>Over level dry Goshute Lake bed.</p> <p>Point for the $\frac{1}{2}$ sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T26N R64E R65E $\frac{1}{2}$ S 1 S 6</p>
80.62	<p style="text-align: center;">1966</p> <p>Point for the cor. of Tps. 26 and 27 N., Rs. 64 and 65 E., at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T27N R64E R65E S 36 S 31 S 1 S 6 T26N</p> <p style="text-align: center;">1966</p>