

DEPENDENT RESURVEY OF THE NORTH BOUNDARY, T. 26 N., R. 65 E.

CHAINS

N. 89° 06' W., bet. secs. 6 and 31.

Over nearly level land, through medium undergrowth.

0.40 Trail road, bears NNW. and SSE.

40.33 Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 31, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T27N R65E

$\frac{1}{4}$ S 31

S 6

T26N

1966

raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

60.00 Enter Goshute Lake bed (dry), bears N. and S.

80.71 The cor. of Tps. 26 and 27 N., Rs. 64 and 65 E.

Land, nearly level.

Soil, sandy clay and loam.

Undergrowth, sagebrush and saltbrush.

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES
T. 26 N., R. 65 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the survey executed by
Monroe and McClellan, U. S. Deputy
Surveyors, in 1882.

From the standard cor. of secs. 35 and 36, on the S. bdy. of the Tp., monumented with an iron post, 2 ins. diam., set, mkd. and witnessed as described in the field notes of the resurvey of the Fifth Standard Parallel North, through R. 65 E. under Group No. 125.

N. 0° 58' E., bet. secs. 35 and 36.

Over nearly level land, through medium undergrowth.

40.405 Point for the $\frac{1}{4}$ sec. cor. of secs. 35 and 36, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T26N R65E

$\frac{1}{4}$
S 35 | S 36

1966