

SURVEY OF THE SUBDIVISIONAL LINES, T. 29 N., R. 42 E.

CHAINS

80.00

Point for the cor. of secs. 23, 24, 25 and 26.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 12 ins. in the ground to bedrock and in a mound of stone to cap, 3 ft. base, with brass cap mkd.

T29N	R42E
S 23	S 24
S 26	S 25

1966

Land, rolling.
Soil, loam, gravel and rocky.
Undergrowth, sagebrush and shadscale.

The $\frac{1}{2}$ sec. cor. of sec. 30, T. 29 N., R. 42 E., is monumented with an iron post, $2\frac{1}{2}$ ins. diam., set, mkd. and witnessed as described in the official record. This cor. now refers to the $\frac{1}{2}$ sec. cor. of sec. 25, T. 29 N., R. 42 E., also, and the brass cap is remarked to read as follows:

T29N	
R42E	R43E
S $\frac{1}{2}$	S 30

1966

1959

The cor. of secs. 19 and 30, T. 29 N., R. 43 E., monumented with an iron post, $2\frac{1}{2}$ ins. diam., set, mkd. and witnessed as described in the official record. This cor. now refers to the cor. of secs. 24 and 25, T. 29 N., R. 42 E., also, and the brass cap is remarked to read as follows:

T29N	
R42E	R43E
S 24	S 19
S 25	S 30

1966

1959

From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp.

S. $89^{\circ} 55'$ W., bet. secs. 24 and 25.

Over rolling land, through medium undergrowth; asc. 40 ft. over an E. slope.

18.90

Wash, 20 lks. wide, 2 ft. deep, drains ESE.; asc. 100 ft. over an E. slope.

40.04

Point for the $\frac{1}{2}$ sec. cor. of secs. 24 and 25.