SURVEY OF THE SUBDIVISIONAL LINES, T. 29 N., R. 42 E.

CHAINS

73.29

Intersect the E. bdy. of sec. 36, T. 29 N., R. 41 E.

Point for the closing cor. of secs. 30 and 31.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

> T29N R41E R42E

> > 1966

raise a mound of stone, 3 ft. base, 2 ft. high, E. of

From this corner, the cor. of secs. 25 and 36, T. 29 N., R. 41 E., bears N. 0° 09' W., 5.93 chs. dist.

Land, rolling. Soil, loam, gravel and rocky. Undergrowth, shadscale.

Point for the ½ sec. cor. of sec. 31, T. 29 N., R. 42 E., on the E. bdy. of T. 29 N., R. 41 E. and at midpoint on the W. bdy. of sec. 31.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

> T29N R41E R42E | ½ |S 31

1966

raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.

From this corner, the $\frac{1}{4}$ sec. cor. of sec. 36, T. 29 N., R.41 E., bears N. 0° 38' E., 5.24 chs. dist.

From the cor. of secs. 29, 30, 31 and 32.

N. 0° 05' W., bet. secs. 29 and 30.

Over gently rolling land, through medium undergrowth; desc. 100 ft. over a NW. slope.

40.00 Point for the 2 sec. cor. of secs. 29 and 30.

> Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

> > T29N R42E

1966