SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES OF T. 30 N. R. 42 E.

	T. 30 N., R. 42 E.
CHAINS	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T30N R42E <u>r S 30</u> z S 31
	1966
	raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
72.38	Intersect the E. bdy. of sec. 36, T. 30 N., R. 41 E.
	Point for the closing cor. of secs. 30 and 31.
	Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T30N R41E R42E S36 S30 _{CC} S31
	1966
	raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.
	From this corner, the cor. of secs. 25 and 36, T. 30 N., R. 41 E., monumented with an iron post, 2½ ins. diam., set, mkd. and witnessed as described in the field notes of the concurrent resurvey of the E. bdy. of T. 30 N., R. 41 E., bears N. 0° 37' E., 5.21 chs. dist.
	Land, nearly level. Soil, clay alkali. Undergrowth, barren.
	The point for the W. ½ sec. cor. of sec. 31 is at midpoint in latitude on the W. bdy. of sec. 31 and on the E. bdy. of sec. 36, T. 30 N., R. 41 E.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T30N R41E R42E 基 S31
	1966

raise a mound of stone, 3 ft. base, 2 ft. high, ${\tt E.}$ of cor.