

DEPENDENT RESURVEY OF A PORTION OF THE EAST BOUNDARY,
T. 30 N., R. 43 E.

CHAINS

bury the wooden post and set a steel fence post, 6 ft. long, 2 ft. in the ground, alongside the iron post.

N. 0° 07' W., beginning new measurement.

Over nearly level land.

39.06 The cor. of secs. 1, 6, 7 and 12, monumented with an unmarked wooden post, 2x2x36 ins., loosely set in a mound of earth.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T30N			
R43E	R44E		
S 1	S 6		
S 12	S 7		

1967

reset the wooden post and set a steel fence post, 6 ft. long, 2 ft. in the ground, alongside the iron post.

Land, gently rolling to nearly level.
Soil, sandy clay loam and rocky.
Undergrowth, shadscale and budsage.

N. 0° 23' W., bet. secs. 1 and 6.

Over nearly level land, through medium undergrowth.

43.30 Telephone cable, underground, parallels power line.

44.00 Power line, bears N. 62¼° E. and S. 62¼° W.

45.23 Point for the ¼ sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T30N			
R43E	R44E		
S 1	S 6		

1967

set a steel fence post, 6 ft. long, 2 ft. in the ground, alongside the iron post.

49.80 Natural gas pipeline, underground, bears N. 61¼° E. and S. 61¼° W.; asc. 40 ft. over a gradual S. slope.