

## DEPENDENT RESURVEY, T. 3 S., R. 71 E.

## CHAINS

Set an iron post, 28 ins. long, 2½ ins. diam., 8 ins. in the ground to bedrock and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T3S R71E  
 $\frac{1}{4}$   $\frac{S \ 9}{S \ 16}$   
 1966

from which the original bearing trees

A juniper, 12 ins. diam., bears S. 60½° W., 135 lks. dist., mkd.  $\frac{1}{4}$  S16 BT

A juniper, 10 ins. diam., bears N. 70 W., 188 chs. dist., mkd.  $\frac{1}{4}$  S9 BT

Reset the original corner stone alongside the iron post.

N. 89° 50' E., beginning new measurement.

Over rolling land, through dense timber.

6.49 Intersect the Nevada-Utah State Line at the closing corner of secs. 9 and 16, monumented with a granite stone, 18x12x6 ins., mkd. with 2 grooves on the N. face, 4 grooves on the S. face and N CC on the W. face.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., 20 ins. in the ground and in a collar of stone, with brass cap mkd.

T3S  
 R71E  
 CC  $\frac{S \ 9}{S \ 16}$   
 1966

Bury the original corner stone alongside the iron post and raise a mound of stone, 3½ ft. base, 2 ft. high, W. of cor.

From this corner, the point for M.P. 252 on the Nevada-Utah State Line, bears S. 0° 17' W., 2.33 chs. dist.

Land, rolling.

Soil, clay and gravel.

Timber, juniper and pinon.

Undergrowth, sagebrush.