

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES
T. 13 N., R. 66 E.

	CHAINS	Land, gently and heavily rolling. Soil, sandy, gravelly, clay and loam. Timber, pinon and juniper. Undergrowth, sagebrush.
		SURVEY OF TRACT 37
		Beginning the survey at the N 1/16 sec. cor. on the east bdy. of sec. 5. S. 89° 00' W., on the calculated course of the E. and W. center line of the NE ¼ of sec. 5. Over nearly level land, through scattering undergrowth.
	10.965	Point for the C-E-NE-1/64 sec. cor. of sec. 5, T. 13 N., R. 66 E., by calculation, at midpoint between the N 1/16 sec. cor. on the east bdy. of sec. 5, and the NE 1/16 sec. cor. of sec. 5. This point is also the point of intersection of the line on the east bdy. of Tract 37 from AP 4 to AP 1. Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, and in a collar of stone, with brass cap mkd. <div>T13N R66E C-E-NE 1/64 S 5 1966</div> The NE 1/16 sec. cor., hereinafter described, bears S. 89° 00' W., 10.965 chains dist.
		N. 0° 16' E., on the calculated course of the N-S center-line of the NE ¼ of the NE ¼ of sec. 5.
	2.00	Point for AP 1, of Tract 37. Set an iron post, 28 ins. long, 2½ ins. diam., 15 ins. in the ground, to solid rock, and in a mound of stone, 3 ft. base to top, with brass cap mkd. <div>T13N R66E AP 1 TR37 S 5 1966</div> Thence S. 89° 00' W. parallel to the calculated course of the E-W center line of the NE ¼ sec. 5.
	11.00	Point for AP 2 of Tract 37. Set an iron post, 28 ins. long, 2½ ins. diam., flush with the surface of the ground, with brass cap mkd.