•	DEPENDENT	RES	URVEY	OF	THE	SUBDIVISIONAL	LINES,
		Т.	30 .N	R	. 60	F	•

t	DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 30 N., R. 60 E.
CHAINS	
17.30	Trail road, bears NNE. and SSW.
39.66	Point for the ½ sec. cor. of secs. 4 and 9, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.
,	T30N R60E
	$\frac{1}{4} \frac{S}{S} \cdot \frac{4}{9}$
	1967
•	raise a mound of stone, 2½ ft. base, 2 ft. high, N. of cor.
79.32	The cor. of secs. 4, 5, 8 and 9.
	Land, nearly level. Soil, sandy clay. Undergrowth, sagebrush and crested wheatgrass.
	N. 1° 04' W., bet. secs. 4 and 5.
	Over nearly level land, through medium undergrowth.
40.21	Point for the ½ sec. cor. of secs. 4 and 5, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.
	T30N R60E
	s 5 s 4
	1967
	raise a mound of stone, 2½ ft. base, 2 ft. high, W. of cor.
79.02	Intersect the Sixth Standard Parallel North.
	Point for the closing cor. of secs. 4 and 5, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.