

SURVEY OF THE SUBDIVISIONAL LINES, T. 16 N., R. 27 E.

CHAINS

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

$$\begin{array}{r} \text{T16N} \quad \text{R27E} \\ \frac{1}{4} \text{ S } 1 \\ \hline \text{S } 12 \end{array}$$

1967

raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

Desc. 30 ft. over an E. slope.

62.95

Intersect the W. bdy. of T. 16 N., R. 28 E.

Point for the closing cor. of secs. 1 and 12.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

$$\begin{array}{r} \text{T16N} \\ \text{R27E} \quad \text{R28E} \\ \text{CC} \frac{\text{S } 1}{\text{S } 12} \mid \text{S } 7 \end{array}$$

1967

raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

from this corner

The cor. of secs. 6 and 7, T. 16 N., R. 28 E., bears N. $0^{\circ} 19'$ W., 1.20 chs. dist., monumented with an iron post, $2\frac{1}{2}$ ins. diam., set, mkd. and witnessed as described in the field notes of the concurrent dependent resurvey of a portion of T. 16 N., R. 28 E.

The W. $\frac{1}{4}$ sec. cor. of sec. 7, T. 16 N., R. 28 E., bears S. $0^{\circ} 19'$ E., 39.06 chs. dist., monumented with an iron post, $2\frac{1}{2}$ ins. diam., set, mkd. and witnessed as described in the field notes of the concurrent dependent resurvey of a portion of T. 16 N., R. 28 E.

Land, gently rolling to nearly level.

Soil, sandy clay to sand.

Undergrowth, sagebrush, greasewood, shadscale and grasses.

The point for the E. $\frac{1}{4}$ sec. cor. of sec. 12, T. 16 N., R. 27 E., is on the W. bdy. of T. 16 N., R. 28 E., and at midpoint in latitude on the E. bdy. of sec. 12.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.