

TOWNSHIP 36 NORTH, RANGE 41 EAST

CHAINS

The geographic position for the southeast corner of the township is at latitude $40^{\circ} 56' 44.4''$ N. and longitude $117^{\circ} 17' 44.0''$ W., as adjusted along section lines from U.S.C. & G.S. triangulation station "LOW", located in sec. 28, T. 35 N., R. 42 E. and from the NE. cor. of T. 36 N., R. 41 E., as shown on the 1968 resurvey plat of T. 37 N., R. 41 E.

The magnetic declination was read at a number of stations throughout the township and the average of these readings was found to be 18° east.

REMONUMENTATION OF CERTAIN CORNERS AND THE DEPENDENT
RESURVEY OF A PORTION OF THE SOUTH BOUNDARY OF
T. 36 N., R. 41 E., (SEVENTH STANDARD PARALLEL NORTH)
MOUNT DIABLO MERIDIAN, NEVADA.

Reestablishment of the Survey Executed by
A. J. Hatch, U. S. Deputy Surveyor, in 1868,
and the Resurvey Executed by
Winfred A. Pray, U. S. Transitman, in 1910.

From the standard cor. of Tps. 36 N., Rs. 41 and 42 E.,
monumented with an iron post, 3 ins. diam., set, mkd.
and witnessed as described in the official record.

N. $89^{\circ} 54'$ W., along the S. bdy. of sec. 36.

Over nearly level land, through medium undergrowth.

20.40 The closing cor. of Tp. 35 N., Rs. 41 and 42 E.,
monumented with an iron post, 3 ins. diam., set, mkd.
and witnessed as described in the official record.
Raise a mound of stone around the iron post, 3 ft. base,
to cap.

38.95 The standard $\frac{1}{4}$ sec. cor. of sec. 36, monumented with an
iron post, 1 in. diam., set, mkd. and witnessed as
described in the official record. Raise a mound of
stone around the iron post, $3\frac{1}{2}$ ft. base, to the cap.

WEST, beginning new measurement.

Over nearly level land; asc. 60 ft. over an E. slope.

41.30 The standard cor. of secs. 35 and 36, monumented with
a basalt stone, 10x14x16 ins., firmly set and plainly
mkd. with 1 notch on the E. face and 5 notches on the
W. face and SC on the N. face. There is no evidence of
the iron post described in the official record.