DEPENDENT RESURVEY OF A PORTION OF THE FIRST STANDARD PARALLEL NORTH, ALONG THE S. BDY., T.6 N., R. 48 E.

CHAINS

DEPENDENT RESURVEY OF A PORTION OF
THE FIRST STANDARD PARALLEL NORTH, ALONG THE
SOUTH BOUNDARY OF T. 6 N., R. 48 E.
MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of a Portion of the Survey Executed by C. F. Putnam, U. S. Deputy Surveyor, in 1882.

The standard cor. of Tps. 6 N., Rs. 48 and 49 E., monumented with a basalt stone, 12x10x7 ins., dimly mkd. with 6 grooves on the E. face, 6 grooves on the W. face and firmly set 6 ins. in the ground, with a mound of stone N. of cor.

At the corner point

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

SC T6N R48E R49E S 36 | S 31

1968

bury the original corner stone alongside the iron post and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

N. 89° 19' W., along the S. bdy. of sec. 36.

Over gently rolling land, through medium undergrowth; desc. 20 ft. over a gradual W. slope.

12.73 The closing cor. of Tps. 5 N., Rs. 48 and 49 E., herein-after described.

Desc. 50 ft. over a gradual W. slope.

The standard ½ sec. cor. of sec. 36, monumented with a basalt stone, 12x6x5 ins., plainly mkd. ½ on the N. face and firmly set 6 ins. in the ground.

At the corner point

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

SC T6N R48E ½ S 36

1968