

INDEPENDENT RESURVEY OF THE WEST BOUNDARY OF
T. 27 N., R. 69 E.

CHAINS	
	<div>T27N</div> <div>R68E R69E</div> <div>S 1 S 6</div> <div>S 12 S 7</div> <div>1969</div> <div>raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.</div> <div>Land, rolling.</div> <div>Soil, sandy clay and gravel.</div> <div>Undergrowth, sagebrush and greasewood.</div>
40.00	<div>NORTH, bet. secs. 1 and 6.</div> <div>Over rolling W. slope, through medium undergrowth; asc. 190 ft.</div> <div>Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 6.</div> <div>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground to bedrock and in a mound of stone to cap, 3 ft. base, with brass cap mkd.</div> <div>T27N</div> <div>R68E R69E</div> <div>$\frac{1}{4}$</div> <div>S 1 S 6</div> <div>1969</div> <div>Asc. 160 ft. over S. slope.</div>
46.50	Spur, slopes W.; desc. 70 ft. over N. slope.
56.40	Bladed road, bears NE. and SW.; asc. 240 ft. over S. slope.
78.00	Top of ascent; desc. 50 ft. over N. slope.
80.00	<div>Point for the cor. of Tps. 27 and 28 N., Rs. 68 and 69 E.</div> <div>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 6 ins. in the ground to bedrock and in a mound of stone to cap, 4 ft. base, with brass cap mkd.</div> <div>T28N</div> <div>R68E R69E</div> <div>S 36 S 31</div> <div>S 1 S 6</div> <div>T27N</div> <div>1969</div> <div>Land, rolling.</div> <div>Soil, sandy clay and gravel.</div> <div>Undergrowth, sagebrush and greasewood.</div>