DEPENDENT^JRESURVEY OF THE SUBDIVISIONAL LINES, T. 40 N., R. 46 E.

	1. 40 N., K ² 40 E.
CHAINS 40.75	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 10, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
· · · ·	• T40N·R46E <u>1 S 3</u> 2 S 10
	1970
	raise a mound of stone, 4 ft. base, 3 ft. high, N. of cor.
	Descend 50 ft. along rolling N. slope to the sec. cor.
70.30	Ravine, drains NNE.
81.50	The cor. of secs. 3, 4, 9 and 10.
	.N. 10° 50' E., bet. secs. 3 and 4.
	Over rolling land, through medium sagebrush; desc. gradually to the $\frac{1}{4}$ sec. cor.
42.20	Trail road, bears NE. and SW.
4 2. 90	Wash, 15 1ks. wide, 3 ft. deep, drains NE.
46.34	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 23 ins. in the ground, with brass cap mkd.
	T40N R46E
	な S 4 S 3
	1970
•	raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.
	Over gently rolling land.
95.00	Wash, 10 1ks. wide, 3 ft. deep, drains NE.
181.17	Intersect the Eighth Standard Parallel North.
	Point for the closing cor. of secs. 3 and 4, at propor- tionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

GPO 845-166