## DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES T. 5 N., R. 60 E.

<u> </u>	1. 5 N., R. OU E.
60.40	East edge of Tule Field Reservoir, bears NE. and SW.; thence across reservoir.
73.50	West edge of Tule Field Reservoir, bears N. and S.
75.70	Fence, bears NNE. and SSW.
80.54	The cor. of secs. 1, 2, 11 and 12.
	N. 0° 13' E., bet. secs. 1 and 2.
	Over nearly level land, through shadscale and greasewood.
40.23	Point for the ½ sec. cor. of secs. 1 and 2, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T5N R60E
	$\begin{bmatrix} \frac{1}{2} \\ S & 2 \end{bmatrix}$ S 1
	1970
	set a steel fence post, $5\frac{1}{2}$ ft. long, $2\frac{1}{2}$ ft. in the ground, alongside the iron post.
80.86	Intersect the First Standard Parallel North on the S. bdy. of sec. 35, T. 6 N., R. 60 E.
·	The closing cor. of secs. 1 and 2, monumented with a cedar post, 3x3x28 ins., loosely set in a mound of earth and dimly scribed.
	At the corner point
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T6N R60E S 35 S 2   S 1 CC T5N R60E
	1970
	reset the cedar post and set a steel fence post, $5\frac{1}{2}$ ft. long, $2\frac{1}{2}$ ft. in the ground, alongside the iron post.
	From this corner, the standard cor. of secs. 35 and 36, T. 6 N., R. 60 E., hereinbefore described, bears S. 89° 39' E., 13.16 chs. dist.