

DEPENDENT RESURVEY OF THE E. BDY., T. 6 N., R. 61 E.

CHAINS

reset the cedar post and set a steel fence post, $5\frac{1}{2}$ ft. long, $2\frac{1}{2}$ ft. in the ground, alongside the iron post.

N. $0^{\circ} 37'$ E., along the E. bdy. of sec. 1.

Over nearly level land, through shadscale, sagebrush and rabbitbrush.

37.18 The W. $\frac{1}{4}$ sec. cor. of sec. 6, T. 6 N., R. 62 E., monumented with an iron post, $2\frac{1}{2}$ ins. diam., set, mkd. and witnessed as described in the field notes of the concurrent survey of T. 6 N., R. 62 E., executed under this same Group.

39.82 The E. $\frac{1}{4}$ sec. cor. of sec. 1, monumented with a squared cedar post, 2x2x28 ins., loosely set in a mound of earth.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

T6N
R61E R62E
 $\frac{1}{4}$
S 1

1970

reset the cedar post and set a steel fence post, $5\frac{1}{2}$ ft. long, $2\frac{1}{2}$ ft. in the ground, alongside the iron post.

N. $0^{\circ} 23'$ W., beginning new measurement.

Over nearly level land.

0.40 Trail road, bears NNE. and SSW.

40.30 The cor. of Tps. 6 and 7 N., Rs. 61 and 62 E., monumented with a cedar post, 2x2x24 ins., wired to a steel fence post and dimly scribed.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

T7N
R61E R62E
S 36 | S 31
S 1 | S 6
T6N

1970