

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 39 N., R. 50 E., MDM, NEVADA

CHAINS	
	<p>DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 39 N., R. 50 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of the Survey Executed by U.S. Deputy Surveyors E. C. McClellan and E. L. Bridges, in 1884.</p> <hr/> <p>From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp.</p> <p>N. 1° 56' E., bet. secs. 33 and 34.</p> <p>Over mountainous land, covered with sagebrush and bunchgrass; asc. 130 ft. over S. slope.</p> <p>11.00 Spur, slopes W.; desc. 220 ft. over N. slope.</p> <p>28.10 Fence, bears ENE. and WSW.; desc. 80 ft. over N. slope.</p> <p>30.00 Midas Road, improved, bears ENE. and WSW.</p> <p>30.80 Willow Creek, 10 lks. wide, 1 ft. deep, course W.; asc. 150 ft. over S. slope.</p> <p>40.26 Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 33 and 34, at propor- tionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T39N R50E <math>\frac{1}{4}</math> S 33   S 34</p> <p style="text-align: center;">1971</p> <p>raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>Ascend 70 ft. over S. slope.</p> <p>44.80 Underground telephone line, bears N. 61° E. and S. 61° W., on spur sloping WSW.; desc. 50 ft. over N. slope.</p> <p>80.52 Point for the cor. of secs. 27, 28, 33 and 34, at propor- tionate distance in latitude and record distance in departure from the cor. of secs. 28, 29, 32 and 33; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 16 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T39N R50E S 28   S 27 S 33   S 34</p> <p style="text-align: center;">1974</p>