

TOWNSHIP 38 NORTH, RANGE 45 EAST

CHAINS

The geographic position for the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the township is at latitude $41^{\circ} 07' 19''$ N. and longitude $116^{\circ} 55' 57''$ W., as determined from a direct tie to U.S.C. & G.S. Bench Mark, P-75, with U.S.G.S. geographic position, located in sec. 23, T. 38 N., R. 44 E.

The mean magnetic declination was found to be 18° E.

DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,
T. 38 N., R. 45 E., MOUNT DIABLO MERIDIAN, NEVADA.

Reestablishment of a Portion of the Survey Executed by
U. S. Deputy Surveyor T. K. Stewart, in 1885.

The cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the Tp., monumented with a basalt stone, 18x12x5 ins., firmly set in the ground, mkd. with 5 grooves on the E. face and 1 groove on the W. face.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

T38N R45E	
S 31	S 32
S 6	S 5
T37N	

1970

bury the original cornerstone alongside the iron post and raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.

From this cor., U.S.C. & G.S. Bench Mark, P-75, monumented with a standard tablet set in concrete, bears N. $48^{\circ} 02'$ W., 277.74 chs. dist.

S. $89^{\circ} 40'$ W., bet. secs. 6 and 31.

Desc. 150 ft. along N. slope, through medium sagebrush.

40.66 The $\frac{1}{4}$ sec. cor. of secs. 6 and 31, monumented with a basalt stone, 20x12x4 ins., firmly set in the ground, mkd. $\frac{1}{4}$ on the N. face.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

T38N R45E	
$\frac{1}{4}$ S 31	
S 6	
T37N	

1970