

DEPENDENT RESURVEY OF THE SOUTH BOUNDARY,
T. 21 N., R. 39 E. (FOURTH STANDARD PARALLEL N.)

CHAINS	DEPENDENT RESURVEY OF THE SOUTH BOUNDARY OF T. 21 N., R. 39 E., (FOURTH STANDARD PARALLEL N.) MOUNT DIABLO MERIDIAN, NEVADA.
	<p>Reestablishment of the Survey Executed by U. S. Deputy Surveyor William Epler, in 1865.</p> <hr/> <p>The standard corner of Tps. 21 N., Rs. 39 and 40 E., monu- mented with a limestone, 30x14x10 ins., mkd. with 6 grooves on the N., E. and W. faces, and firmly set in a mound of stone.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">SC T21N R39E R40E <u>S 36</u> <u>S 31</u></p> <p style="text-align: center;">1970</p> <p>bury the original corner stone alongside the iron post and raise a mound of stone, 4 ft. base, 3 ft. high, N. of cor.</p> <p>N. 89° 55' W., along the S. bdy. of sec. 36.</p> <p>Over rolling W. slope, through medium sagebrush; desc. 250 ft. to the ¼ sec. cor.</p> <p>1.90 Spur, slopes NW.</p> <p>8.90 Spur, slopes NW.</p> <p>34.80 Ravine, drains NW.</p> <p>40.26 The standard ¼ sec. cor. of sec. 36, monumented with a granite stone, 24x18x6 ins., mkd. ¼ on the N. face, and firmly set in a mound of stone.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p>