

DEPENDENT RESURVEY OF THE WEST BOUNDARY,  
T. 21 N., R. 39 E.

CHAINS	
33.20	Spur, slopes E.; desc. 50 ft. over N. slope.
39.67	The $\frac{1}{4}$ sec. cor. of secs. 1 and 6, monumented with a sandstone, 12x12x6 ins., mkd. $\frac{1}{4}$ on the W. face, and set in a mound of stone.
	At the corner point
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	T21N R38E R39E $\frac{1}{4}$ S 1   S 6
	1970
	bury the original corner stone alongside the iron post and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	N. $0^{\circ} 42'$ E., beginning new measurement.
	Over low rolling hills, through medium dense sagebrush; desc. 10 ft. over N. slope.
3.50	Head of draw, drains E.; asc. 70 ft. over S. slope.
6.60	Low spur, slopes E.; desc. 30 ft. over N. slope.
11.00	Draw, drains E.; asc. 80 ft. over S. slope.
15.70	Spur, slopes E.; desc. 30 ft. over N. slope.
26.80	Wash, 4 ft. deep, 10 lks. wide, drains SSE.; asc. 40 ft. along bottom of draw.
38.00	Same wash, drains SSW.
40.18	The cor. of Tps. 21 and 22 N., Rs. 38 and 39 E.
<hr/> DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES OF T. 21 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA.	
<hr/> Reestablishment of the Survey Executed by U. S. Deputy Surveyor E. L. Bridges in 1882.	
	From the standard corner of secs. 35 and 36, on the S. bdy. of the Tp.
	N. $1^{\circ} 45'$ E., bet. secs. 35 and 36.
	Over gently rolling W. slope, through medium sagebrush; desc. gradually to the $\frac{1}{4}$ sec. cor.
1.10	Wash, 4 ft. deep, 15 lks. wide, drains W.