

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 46 N., R. 56 E., MDM, NEVADA

CHAINS	DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 46 N., R. 56 E., MOUNT DIABLO MERIDIAN, NEVADA
	<p>Reestablishment of a Portion of the Survey Executed by U. S. Deputy Surveyor George A. Bellinger, in 1904</p> <hr/> <p>From the standard cor. of secs. 35 and 36, on the S. bdy. of the Tp.</p> <p>N. 0° 03' E., bet. secs. 35 and 36.</p> <p>Over mountainous land, through medium sagebrush and native grass; asc. gradually along broken E. slope.</p>
20.00	Low spur, projects E.
31.50	Spur, projects E.; desc. 120 ft. over N. slope.
35.50	Spring branch, course ENE.; asc. 70 ft. over S. slope.
39.92	<p>The $\frac{1}{4}$ sec. cor. of secs. 35 and 36, monumented with a granite stone, 17x10x6 ins., mkd. $\frac{1}{4}$ on the W. face, firmly set in the ground, with a mound of stone W. of cor.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 16 ins. in the ground to bedrock and in a mound of stone, 4 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T46N R56E $\frac{1}{4}$ S 35 S 36</p> <p style="text-align: center;">1972</p> <p>bury the original corner stone alongside the iron post.</p> <hr/> <p>N. 0° 04' E., beginning new measurement.</p> <p>Ascend 70 ft. over S. slope.</p>
14.00	Ridge, bears NE. and SW.; desc. 120 ft. over NW. slope.
20.11	<p>Point for the N. 1/16 sec. cor. of secs. 35 and 36, at proportionate distance.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 18 ins. in the ground to bedrock and in a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T46N R56E N 1/16 S 35 S 36</p> <p style="text-align: center;">1972</p>