

DEPENDENT RESURVEY OF A PORTION OF THE EAST BOUNDARY,
T. 45 N., R. 61 E., MDM, NEVADA

<p>CHAINS 40.06</p>	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 12, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T45N R61E R62E $\frac{1}{4}$ S 12 S 7</p> <p style="text-align: center;">1972</p> <p>raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor., and set a steel fence post, 6 ft. long, 2 ft. in the ground, alongside the iron post.</p>
<p>80.12</p>	<p>Point for the cor. of secs. 1, 6, 7 and 12, at proportionate distance; there is no remaining evidence of the original corner.</p> <p style="text-align: center;">T45N R61E R62E S 1 S 6 S 12 S 7</p> <p style="text-align: center;">1972</p> <p>raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor., and set a steel fence post, 6 ft. long, 2 ft. in the ground, alongside the iron post.</p>
<p>40.06</p>	<p>N. $0^{\circ} 10'$ W., bet. secs. 1 and 6.</p> <p>Over rolling land, through scattered sagebrush.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T45N R61E R62E $\frac{1}{4}$ S 1 S 6</p> <p style="text-align: center;">1972</p> <p>raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor., and set a steel fence post, 6 ft. long, 2 ft. in the ground, alongside the iron post.</p>
<p>54.66</p>	<p>Intersect the Ninth Standard Parallel North.</p> <p>Point for the closing cor. of Tps. 45 N., Rs. 61 and 62 E., at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p>