

Dependent Resurvey of a Portion of the S. Bdy. of  
T. 12 N., R. 29 E., Mount Diablo Meridian, Nevada

CHAINS																	
	<p>(Restoring portions of the 1904 survey by H. E. Franks and J. S. Mullen, U.S. Deputy Surveyors, and the 1929 resurvey and survey by George W. Ridgeway, U.S. Cadastral Engineer)</p>																
	<p>Beginning at the cor. of Tps. 12 N., Rs. 28 and 29 E., on the S. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, protruding 12 ins. above ground, and in a fallen mound of stone, with brass cap mkd.</p> <div><div>T 12 N</div><div>R 28 E   R 29 E</div><div>S 36   S 31</div><div>S 1</div><div>T 11 N</div><div>R 28 E</div><div>1929</div></div> <p>Rebuild the mound of stone around the iron post, 4 ft. base, to top.</p> <p>Cor. falls in a ravine, 15 lks. wide, drains N. 70° E., and under a fence, 4 strand barbed wire, bearing E. and W. N. 89° 58' E., along the S. bdy. of sec. 31.</p> <p>Asc. over NW. slope, through scattering undergrowth, following a fence line.</p> <tr><td>1.30</td><td>Spur, slopes N. 70° E.; desc. over SE. slope.</td></tr> <tr><td>4.97</td><td><p>The closing cor. of Tps. 11 N., Rs. 28 and 29 E., monu- mented with an iron post, 3 ins. diam., firmly set, protruding 12 ins. above ground, and in a fallen mound of stone, with brass cap mkd.</p><div><div>T 12 N    R 29 E</div><div>S 31</div><div>S 1   S 6</div><div>R 28 E   R 29 E</div><div>T 11 N</div><div>CC</div><div>1929</div></div><p>Rebuild the mound of stone around the iron post, 4 ft. base, to top.</p><p>Cor. falls under a fence bearing E. and W.</p><p>Continue along the S. bdy. of sec. 31, identical with the N. bdy. of sec. 6; desc. over SE. slope, following a fence line.</p><tr><td>12.10</td><td>Wash, 50 lks. wide, drains N. 70° E.; continue descent.</td></tr><tr><td>14.40</td><td>Same wash, drains S. 60° E.; continue descent over E. slope.</td></tr><tr><td>22.20</td><td>Flood control ditch, 40 lks. wide, drains S. 50° E.; asc. over ditch bank.</td></tr><tr><td>23.00</td><td>Top of ditch bank, 10 lks. wide, bears N. 50° W. and S. 50° E.; desc. over E. slope.</td></tr><tr><td>26.20</td><td>Old Walker Road, gravel, 15 lks. wide, bears N. and S.</td></tr><tr><td>29.85</td><td>Flood control ditch, 10 lks. wide, drains S. 50° E.; asc. over ditch bank.</td></tr></td></tr>	1.30	Spur, slopes N. 70° E.; desc. over SE. slope.	4.97	<p>The closing cor. of Tps. 11 N., Rs. 28 and 29 E., monu- mented with an iron post, 3 ins. diam., firmly set, protruding 12 ins. above ground, and in a fallen mound of stone, with brass cap mkd.</p> <div><div>T 12 N    R 29 E</div><div>S 31</div><div>S 1   S 6</div><div>R 28 E   R 29 E</div><div>T 11 N</div><div>CC</div><div>1929</div></div> <p>Rebuild the mound of stone around the iron post, 4 ft. base, to top.</p> <p>Cor. falls under a fence bearing E. and W.</p> <p>Continue along the S. bdy. of sec. 31, identical with the N. bdy. of sec. 6; desc. over SE. slope, following a fence line.</p> <tr><td>12.10</td><td>Wash, 50 lks. wide, drains N. 70° E.; continue descent.</td></tr> <tr><td>14.40</td><td>Same wash, drains S. 60° E.; continue descent over E. slope.</td></tr> <tr><td>22.20</td><td>Flood control ditch, 40 lks. wide, drains S. 50° E.; asc. over ditch bank.</td></tr> <tr><td>23.00</td><td>Top of ditch bank, 10 lks. wide, bears N. 50° W. and S. 50° E.; desc. over E. slope.</td></tr> <tr><td>26.20</td><td>Old Walker Road, gravel, 15 lks. wide, bears N. and S.</td></tr> <tr><td>29.85</td><td>Flood control ditch, 10 lks. wide, drains S. 50° E.; asc. over ditch bank.</td></tr>	12.10	Wash, 50 lks. wide, drains N. 70° E.; continue descent.	14.40	Same wash, drains S. 60° E.; continue descent over E. slope.	22.20	Flood control ditch, 40 lks. wide, drains S. 50° E.; asc. over ditch bank.	23.00	Top of ditch bank, 10 lks. wide, bears N. 50° W. and S. 50° E.; desc. over E. slope.	26.20	Old Walker Road, gravel, 15 lks. wide, bears N. and S.	29.85	Flood control ditch, 10 lks. wide, drains S. 50° E.; asc. over ditch bank.
1.30	Spur, slopes N. 70° E.; desc. over SE. slope.																
4.97	<p>The closing cor. of Tps. 11 N., Rs. 28 and 29 E., monu- mented with an iron post, 3 ins. diam., firmly set, protruding 12 ins. above ground, and in a fallen mound of stone, with brass cap mkd.</p> <div><div>T 12 N    R 29 E</div><div>S 31</div><div>S 1   S 6</div><div>R 28 E   R 29 E</div><div>T 11 N</div><div>CC</div><div>1929</div></div> <p>Rebuild the mound of stone around the iron post, 4 ft. base, to top.</p> <p>Cor. falls under a fence bearing E. and W.</p> <p>Continue along the S. bdy. of sec. 31, identical with the N. bdy. of sec. 6; desc. over SE. slope, following a fence line.</p> <tr><td>12.10</td><td>Wash, 50 lks. wide, drains N. 70° E.; continue descent.</td></tr> <tr><td>14.40</td><td>Same wash, drains S. 60° E.; continue descent over E. slope.</td></tr> <tr><td>22.20</td><td>Flood control ditch, 40 lks. wide, drains S. 50° E.; asc. over ditch bank.</td></tr> <tr><td>23.00</td><td>Top of ditch bank, 10 lks. wide, bears N. 50° W. and S. 50° E.; desc. over E. slope.</td></tr> <tr><td>26.20</td><td>Old Walker Road, gravel, 15 lks. wide, bears N. and S.</td></tr> <tr><td>29.85</td><td>Flood control ditch, 10 lks. wide, drains S. 50° E.; asc. over ditch bank.</td></tr>	12.10	Wash, 50 lks. wide, drains N. 70° E.; continue descent.	14.40	Same wash, drains S. 60° E.; continue descent over E. slope.	22.20	Flood control ditch, 40 lks. wide, drains S. 50° E.; asc. over ditch bank.	23.00	Top of ditch bank, 10 lks. wide, bears N. 50° W. and S. 50° E.; desc. over E. slope.	26.20	Old Walker Road, gravel, 15 lks. wide, bears N. and S.	29.85	Flood control ditch, 10 lks. wide, drains S. 50° E.; asc. over ditch bank.				
12.10	Wash, 50 lks. wide, drains N. 70° E.; continue descent.																
14.40	Same wash, drains S. 60° E.; continue descent over E. slope.																
22.20	Flood control ditch, 40 lks. wide, drains S. 50° E.; asc. over ditch bank.																
23.00	Top of ditch bank, 10 lks. wide, bears N. 50° W. and S. 50° E.; desc. over E. slope.																
26.20	Old Walker Road, gravel, 15 lks. wide, bears N. and S.																
29.85	Flood control ditch, 10 lks. wide, drains S. 50° E.; asc. over ditch bank.																