

Dependent Resurvey, Portion, E. Bdy.,
T. 12 N., R. 28 E., Mt. Diablo Mer., Nevada

CHAINS	
80.00	<p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 12 N R 28 E R 29 E ½ S 12 S 7 1973</p> </div> <p>Continue crossing nearly level land.</p> <p>Point for the cor. of secs. 13, 18, 19, and 24, at proportionate dist.; there is no remaining evidence of the original cor.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 12 N R 28 E R 29 E S 13 S 18 S 24 S 19 1973</p> </div>
0.30 0.65 4.35 8.98	<p>S. 0° 05' W., bet. secs. 19 and 24.</p> <p>Over level land, through scattering undergrowth.</p> <p>Fence, 4 strand barbed wire, bears E. and W.</p> <p>Drainage ditch, 10 lks. wide, 3 ft. deep, drains W.; enter open field.</p> <p>Telephone line, 14 strand, bears N. 85° W. and S. 85° E.</p> <p>Point for the original meander cor. of secs. 24 and 19, at proportionate dist.; there is no remaining evidence of the original cor. This cor. now also functions as Angle Pt. No. 1 of Tract No. 37, and Angle Pt. No. 2 of Tract No. 38, T. 12 N., R. 29 E.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 12 N R 28 E R 29 E S 24 S 19 M C AP-1 AP-2 TR-37 TR-38 1973</p> </div> <p>The southerly basis for proportioning on this Tp. bdy. is the ¼ sec. cor. of secs. 31 and 36, hereinbefore described.</p>
	<p>Dependent Resurvey of a Portion of the Subdivisional Lines, T. 12 N., R. 28 E., Mount Diablo Meridian, Nevada</p>
	<p>(Restoring portions of the 1904 survey by H. E. Franks and J. S. Mullen, Deputy Surveyors)</p>
	<p>From the meander cor. of secs. 25 and 36, monumented with a granite stone, 14 x 9 x 5 ins., firmly set, protruding 5 ins. above ground, mkd. MC on E. and 5 grooves on N. faces.</p>