Depend	dent	R	esui	rvey	of	a	Port	ion	of	the	South
Вdу.	οf	Τ.	32	Ν.,	R.	32	Ε.,	M.I).M.	. Ne	evada

CHAINS	Reset the wooden post and set a steel fence post, 5-1/2 ft. long, alongside the iron post.
	S. 89° 55' E., on the S. bdy. of sec. 36.
	Over nearly level land, through medium growth of shadscale, greasewood and budsage.
3.70	Wash, 20 1ks. wide, 2 ft. deep, drains N. 20° E.
23.70	Ravine, drains N.
28.70	High water line of Rye Patch Reservoir, bears N. and S., enter reservoir.
29.00	High water line of Rye Patch Reservoir, bears N. and S., leave reservoir.
39.79	Point for the standard 1/4 sec. cor. of sec. 36, at proportionate distance; there is no remaining evidence of the original cor.
	Set an iron post, 28 ins. long, 2-1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	S C T 32 N R 32 E 1/4 S 36 1974
	Set a steel fence post, 5-1/2 ft. long, alongside the iron post.
40.98	Set an iron post, 28 ins. long, 2-1/2 ins. diam., 22 ins. in the ground for a witness point, with brass cap mkd.
	W P T 32 N R 32 E S 36 1974
	Set a steel fence post, 5-1/2 ft. long, alongside the iron post.
41.30	High water line of Rye Patch Reservoir, bears N. 60° W. and S. 30° E., enter reservoir.
79.58	Point for the standard cor. of Tps. 32 N., Rs. 32 and 33 E., at proportionate distance; there is no remaining evidence of the original cor., falls in Rye Patch Reservoir and was not monumented.
	From this point, the standard 1/4 sec. cor. of sec. 31 on the S. bdy. of T. 32 N., R. 33 E., monumented with an iron post, 1 in. diam., firmly set and exposed 8 ins. above ground, mkd. as described in the field notes of the dependent resurvey of T. 32 N., R. 33 E., bears S. 89° 55' E., 39.79 chs. dist.