

DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,  
T. 2 N., R. 69 E., MDM, NEVADA

CHAINS													
24.20	Trail road, bears SSE. and NNW.												
34.80	Ravine, drains SW.												
39.94	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 6 and 31, monumented with a basalt stone, 14x8x6 ins., plainly mkd. <math>\frac{1}{4}</math> and firmly set 8 ins. in the ground.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T2N R69E</p> <table style="margin: auto;"> <tr><td style="border-right: 1px solid black; padding-right: 5px;"><math>\frac{1}{4}</math></td><td style="padding: 0 5px;">S</td><td style="padding: 0 5px;">31</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;"></td><td style="padding: 0 5px;">S</td><td style="padding: 0 5px;">6</td></tr> </table> <p>T1<math>\frac{1}{2}</math>N</p> <p>1975</p> </div> <p>bury the cornerstone alongside the iron post and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p> <p>from which the bearing trees, mkd. in 1902:</p> <p style="padding-left: 40px;">A juniper, 10 ins. diam., bears S. 79° E., 72 lks. dist., with open blaze, scribe marks visible. (Record 71 lks.).</p> <p style="padding-left: 40px;">A juniper, 8 ins. diam., bears N. 41<math>\frac{1}{2}</math>° W., 142 lks. dist., with open blaze, scribe marks illegible. (Record N. 40° W.).</p> <hr style="width: 20%; margin: 20px auto;"/> <p>S. 89° 46' W., beginning new measurement.</p> <p>Over gently rolling land, through sagebrush and juniper; desc. 60 ft. over a W. slope.</p>	$\frac{1}{4}$	S	31		S	6						
$\frac{1}{4}$	S	31											
	S	6											
19.90	Ravine, drains SSW.												
39.57	<p>The cor. of secs. 1, 6, 31 and 36, monumented with a basalt stone, 12x12x8 ins., plainly mkd. with 6 grooves on E., S., W. and N. faces and firmly set 6 ins. in the ground. This cor. will now refer to secs. 6 and 31, Tps. 1<math>\frac{1}{2}</math> and 2 N., R. 69 E. only.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td style="border-right: 1px solid black; padding-right: 5px;">T2N</td><td style="padding: 0 5px;"></td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">R69E</td><td style="padding: 0 5px;"></td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">S</td><td style="padding: 0 5px;">31</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">S</td><td style="padding: 0 5px;">6</td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">T1<math>\frac{1}{2}</math>N</td><td style="padding: 0 5px;"></td></tr> <tr><td style="border-right: 1px solid black; padding-right: 5px;">R69E</td><td style="padding: 0 5px;"></td></tr> </table> <p>1975</p> <p>bury the cornerstone alongside the iron post and raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.</p> </div>	T2N		R69E		S	31	S	6	T1 $\frac{1}{2}$ N		R69E	
T2N													
R69E													
S	31												
S	6												
T1 $\frac{1}{2}$ N													
R69E													