

DEPENDENT RESURVEY OF A PORTION OF THE EAST BOUNDARY,  
T. 29 N., R. 18 E., MDM, NEVADA

CHAINS

At the corner point

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T29N  
R18E R19E  
 $\frac{1}{4}$   
S 36|S 31

1973

deposit the original cornerstone and set a steel fence post, 6 ft. long, 22 ins. in the ground alongside the iron post and raise a mound of stone,  $\frac{1}{4}$  ft. base, 3 ft. high, W. of cor.

N.  $0^{\circ} 48'$  E., beginning new measurement.

Over nearly level land; along E. slope.

- 2.50 Trail road, bears NNE. and SSW.
- 7.20 Trail road, bears WNW. and ESE.
- 20.20 Wash, 10 lks. wide, 3 ft. deep, drains E.
- 21.80 Wash, 10 lks. wide, 3 ft. deep, drains E.
- 40.30 The cor. of secs. 25, 30, 31 and 36, monumented with a basalt stone, 18x16x14 ins., firmly set in a mound of stone, mkd. with 1 groove on the S. face and 5 grooves on the N. face.

At the corner point

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T29N  
R18E R19E  
S 30|S 25  
S 31|S 36

1973

deposit the original cornerstone and set a steel fence post, 6 ft. long, 22 ins. in the ground, alongside the iron post and raise a mound of stone,  $\frac{1}{4}$  ft. base, 3 ft. high, W. of cor.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,  
T. 29 N., R. 18 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by  
U. S. Deputy Surveyor Milton Santee,  
in 1880.