

DEPENDENT RESURVEY OF THE WEST BOUNDARY,  
T. 23 N., R. 54 E., MDM, NEVADA

CHAINS	
	N. 0° 43' W., bet. secs. 1 and 6.
	Over nearly level land, through sagebrush, shadscale and greasewood.
40.76	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.
	<p style="text-align: center;">T23N R53E R54E <math>\frac{1}{4}</math> S 1   S 6</p>
	1973
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
81.52	The cor. of Tps. 23 and 24 N., Rs. 53 and 54 E., monumented with the decayed remains of the original squared cedar post, illegible scribe marks visible, wired to a steel fence post, firmly set and exposed 4 ft. above ground.
	At the corner point
	Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.
	<p style="text-align: center;">T24N R53E R54E <u>S 36   S 31</u> S 1   S 6 T23N</p>
	1973
	reset the remains of the cedar post and the steel fence post alongside the iron post and raise a mound of stone, 4 ft. base, 3 ft. high, S. of cor.
	This corner was tied in by tellurometer traverse under Group No. 389 and shown on Protraction Diagram No. 162.
<p>DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY, T. 23 N., R. 54 E., MOUNT DIABLO MERIDIAN, NEVADA</p>	
<p>Reestablishment of the Survey Executed by E. L. Bridges, U. S. Deputy Surveyor, in 1879, under joint Contract No. 88 with J. H. Eaton.</p> <hr style="width: 20%; margin: auto;"/>	