200

INDEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 27 N., R. 68 E., MDM, NEVADA CHAINS Summit of Kingsley Mountains, bears N. and S.; desc. 4.20 710 ft. over W. slope. 40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 30 and 31. Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd. T27N R68E 14 S 30 1974 raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor. Foot of Kingsley Mountains, bears N. and S., over rolling land; desc. 260 ft. over gradual W. slope. Intersect the E. bdy. of sec. 36, T. 27 N., R. 67 E. 80.75 Point for the closing corner of secs. 30 and 31. Set an iron post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 22 ins. in the ground, with brass cap mkd. T27NT27N R68E s 36 | <u>S 30</u> CC r67e 1974 raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor. From this corner, the cor. of secs. 25 and 36, T. 27 N., R. 67 E., bears N. 0° 11' E., 4.26 chs. dist. Land, mountainous to rolling. Soil, sandy clay and rocky. Timber, juniper and pinon. Undergrowth, sagebrush. Point for the W. 4 sec. cor. of sec. 31, on the E. bdy. of sec. 36, T. 27 N., R. 67 E., and at midpoint on the W. bdy. of sec. 31. Set an iron post, 28 ins. long, 2<sup>1</sup>/<sub>2</sub> ins. diam., 22 ins. in the ground, with brass cap mkd. T27N R68E 1<sub>4</sub> |s 31 1974 raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor. From this corner, the  $\frac{1}{4}$  sec. cor. of sec. 36, T. 27 N., R. 67 E., bears N. 0° 11' E., 3.91 chs. dist.

48